}	1

## **ENGINEERING CHANGE NOTICE**

Page 1 of \_\_\_\_\_

1. ECN 635336

Proj. ECN

····					
2. ECN Category (mark one)	3. Originator's Name and Telephone No.	e, Organization, MSIN,	4. USQ Requ	ıired?	5. Date
Supplemental []	1	, Data Assessment	[] Yes [	[X] No	08/20/96
Direct Revision [X] Change ECN []	and Interpreta   2711	tion, R2-12, 373-			
Temporary [] Standby []	6. Project Title/No.	/Work Order No.	7. Bldg./Sv	s./Fac. No.	8. Approval Designator
Supersedure [] Cancel/Void []	1	241-B-103		B-103	N/A
13	9. Document Numbers (includes sheet r	Changed by this ECN .	10. Related	ECN No(s).	11. Related PO No.
		R-488, Rev. 0-A	ECN-6	525703	N/A
12a. Modification Work	12b. Work Package No.	12c. Modification Work	omplete		ed to Original Condi- or Standby ECN only)
[] Yes (fill out Blk.	N/A	N/A		N/A	or Standby ELN only)
[X] No (NA Blks. 12b, 12c, 12d)		Design Authority/Cog. Signature & Da			uthority/Cog. Engineer
13a. Description of Change					
This ECN is being		13b. Design Baseline. Ler to exchange had	-	_	א o l mean and tank
inventory for the				ne overar	i illedii dilu talik
	·				
				•	
14a. Justification (mark o					
Criteria Change []					
		[] Environmental	٢٦	Facilit	Ty Deactivation []
As-Found []	Design Improvement Facilitate Const	[] Environmental [] Const. Error/O	[]		ty Deactivation [] Error/Omission [X]
14b. Justification Details	Design Improvement Facilitate Const	[] Const. Error/O	mission []	Design	Error/Omission [X]
14b. Justification Details The overall mean ar	Design Improvement Facilitate Const  Indicate to the constant of the constant inventor	[] Const. Error/O	mission []	Design	Error/Omission [X]
14b. Justification Details	Design Improvement Facilitate Const  Indicate to the constant of the constant inventor	[] Const. Error/O	mission []	Design	Error/Omission [X]
14b. Justification Details The overall mean ar	Design Improvement Facilitate Const  Indicate to the constant of the constant inventor	[] Const. Error/O	mission []	Design	Error/Omission [X]
14b. Justification Details The overall mean ar	Design Improvement Facilitate Const  Indicate to the constant of the constant inventor	[] Const. Error/O	mission []	Design	Error/Omission [X]
14b. Justification Details The overall mean ar incorrectly in the  15. Distribution (include	Design Improvement Facilitate Const  ad tank inventor original release	[] const. Error/o y for the total al e of this document	mission []	Design ts were ca	Error/Omission [X]
14b. Justification Details The overall mean ar incorrectly in the	Design Improvement Facilitate Const  ad tank inventor original release	[] const. Error/o y for the total al e of this document	mission []	Design ts were ca	Error/Omission [X]
14b. Justification Details The overall mean ar incorrectly in the  15. Distribution (include	Design Improvement Facilitate Const  ad tank inventor original release	[] const. Error/o y for the total al e of this document	mission []	Design ts were ca	Error/Omission [X]
14b. Justification Details The overall mean ar incorrectly in the  15. Distribution (include	Design Improvement Facilitate Const  ad tank inventor original release	[] const. Error/o y for the total al e of this document	mission []	Design ts were ca	Error/Omission [X]
14b. Justification Details The overall mean ar incorrectly in the  15. Distribution (include	Design Improvement Facilitate Const  ad tank inventor original release	[] const. Error/o y for the total al e of this document	mission []	Design ts were ca	Error/Omission [X]

A-7900-013-2 (05/96) GEF095

ENGINEERING CHANGE NOTICE						T. EUN (USE NO.	Trom pg. 1)
				Page 2	of 2	ECN-635336	
16. Design	17. Cost Impac	t			18	. Schedule Impact	(days)
Verification Required	ENG	NEERING	CO	NSTRUCTION			
[] Yes	Additional	[] \$	Additional	[] \$	im	provement [	]
[X] No	Savings	ַרֿ <u>ו</u> \$	Savings	Γ̈̄] \$	De	lay	į
19. Change Impact	Review: Indicati	e the related	documents (other th	an the engine	ering docume	ents identified o	n Side 1)
that will be a	ffected by the c	hange describe	ed in Block 13. Ent	er the affecte	ed document	number in Block	20.
SDD/DD	[]		smic/Stress Analysis	[]		k Calibration Manual	[]
Functional Design Criter	ia []	Stre	ess/Design Report	[]	Hea	Ilth Physics Procedure	[]
Operating Specification	[]	Inte	rface Control Drawing	[]	Spa	res Multiple Unit Listi	r9 []
Criticality Specification	[]	Cali	bration Procedure	[]	Tes	t Procedures/Specifica	ition []
Conceptual Design Repo	ort []	Inst	allation Procedure	[]	Cor	nponent Index	[]
Equipment Spec.	ĪĪ	Mai	ntenance Procedure	ΓĪ	ASI	ME Coded Item	[]
Const. Spec.	ΪĪ	Eng	ineering Procedure	ĨĨ.	Hur	nan Factor Considerat	ion []
Procurement Spec.	Fi	Оре	erating Instruction	ίĩ	Cor	mputer Software	[]
Vendor Information	[]	Оре	erating Procedure	נן ני	Elec	ctric Circuit Schedule	LJ
OM Manual	[7	Оре	erational Safety Requirem	L ∐ ent [ ]	iCR	S Procedure	L.J.
FSAR/SAR	LJ FJ	IEF	D Drawing	۲.J ۲.J	Pro	cess Control Manual/F	LJ Nan [7]
Safety Equipment List	£.J		Arrangement Drawing	LJ		cess Flow Chart	LJ
Radiation Work Permit	LJ		ential Material Specificati	בי מכ	_	chase Requisition	LJ
			·	5" [ ]		cler File	
Environmental Impact St	tatement		. Proc. Samp. Schedule		He	Kier File	Ľ J
Environmental Report		·	pection Plan	[]			[]
Environmental Permit	[]	Inve	entory Adjustment Reque	it []			[]
N/A	mber/Revision		Document Number/Re		-	ocument Number Re	
21. Approvals						<del></del>	
	Signature		Date		Signatur	e	Date
Design Authority	0 -			Design Agent			
Cog. Eng. J.M. Co	nner M.C.		8-20-96	PE			
Cog. Mgr. J.G. Kr	istofzski 🗼	kk.	5 71 AL	QA			
QA	12-001	4.00	On the Land	Safety			
Safety				Design			<del></del>
Environ.				Environ.			
Other				Other			<del></del>
						•	<del></del>
			<del></del>	DEPARTMENT O	E ENEBAY		
				Signature or tracks the A	a Control		
				ADDITIONAL			
							<u></u> ,

## Tank Characterization Report for Single-Shell Tank 241-B-103

John M. Conner

Westinghouse Hanford Company, Richland, WA 99352 U.S. Department of Energy Contract DE-AC06-87RL10930

EDT/ECN: ECN-635336

UC: 2070

Org Code: 79400

Charge Code: N4G4D

B&R Code: EW 3120074

Total Pages:

Key Words: Waste Characterization, Single Shell Tank, SST, Tank 241-B-103, Tank B-103, B-103, B Farm, Tank Characterization Report, TCR, Waste

Inventory, TPA Milestone M-44

Abstract: N/A

TRADEMARK DISCLAIMER. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

Printed in the United States of America. To obtain copies of this document, contact: WHC/BCS Document Control Services, P.O. Box 1970, Mailstop H6-08, Richland WA 99352, Phone (509) 372-2420; Fax (509) 376-4989.

Agra Broz \$32/96 Release Approval Date DATE: HANFORD PELEASE ID 58

Release Stamp

**Approved for Public Release** 

## (1) Document Number RECORD OF REVISION WHC-SD-WM-ER-488 (2) Title Tank Characterization Report for Single-Shell Tank 241-B-103 CHANGE CONTROL RECORD Authorized for Release (3) Revision (4) Description of Change - Replace, Add, and Delete Pages (5) Cog. Engr. (6) Cog. Mgr. Date Initially released 08/07/95 on EDT-J.M. Conner | 0 J.G. Kristofzski 611435. 0-A RS Incorporate per ECN-625703. Incorporate per ECN-635336. J.G. Kristofzski **RS** 0-B J.M. Conner

## 4.2 TOTAL ALPHA ACTIVITY

Analyses for total alpha activity were performed on two samples from tank 241-B-103. These samples were prepared by fusion using laboratory procedure LA-549-141, Rev. C-3, and analyzed using laboratory procedure LA-508-101, Rev. D-2. Two fusions were prepared for each sample (for duplicate analyses). Each fused dilution is analyzed twice; the results are averaged and reported as one value.

Table 4-2 presents the total alpha activity taken from the 45-day report for tank 241-B-103 (Conner 1995). The total alpha tank inventory was calculated using the mean value for total alpha (in  $\mu$ Ci/g) and a total solid waste weight of 344,000 kg from Table 2-4.

The large difference between sample results indicates that the tank is heterogeneous. The riser 7 samples were described as gray/black crystals, while the riser 2 sample was described as yellow and brown sludge. All results are less than 1 percent of the safety screening action limit of 41  $\mu$ Ci/g. As discussed in Section 5.1.1, the auger sampler is biased towards retention of solids. As alpha emitters are expected to be concentrated largely in the solids (waste is non-complexed), this results in a conservative estimate of the total alpha concentration in the tank. Quality control considerations for these samples are discussed in Section 5.1.2.

Table 4-2. Tank B-103 Total Alpha Activity Results.

Sample identification	Result (μCi/g)	Duplicate (μCi/g)	Sample mean (µCi/g)	Overall mean (μCi/g)	Tank inventory (Ci)
Riser 7, S95T000973	0.0865	0.125	0.106		
Riser 2, S95T001117	0.299	0.345	0.322	0.214	73.6

Notes:

 $\mu \text{Ci/g} = \text{microcuries/gram}$ 

Ci = curies

g = gram

1 Ci = 3.7E + 10 becquerel (Bq)

	DISTR	IBUTIO	N SHEET							
То	From					Page 1 of 4				
Distribution			sessment a pretation	D	/20/96					
Project Title/Work Order					E	DT No. N/	'A			
Tank Characterization Report for WHC-SD-WM-ER-488, Rev. 0-B	^ Single	e-Shell 1	Tank 241-B	-103,	E	CN No. E	CN-635336			
Name		MSIN	Text With All Attach.	Text Onl	ly	Attach./ Appendix Only	EDT/ECN Only			
<u>OFFSITE</u>										
Sandia National Laboratory P.O. Box 5800 MS-0744, Dept. 6404 Albuquerque. NM 87815										
D. Powers			Χ							
Nuclear Consulting Services Inc. P. O. Box 29151 Columbus, OH 43229-01051										
J. L. Kovach			Χ							
Chemical Reaction Sub-TAP P.O. Box 271 Lindsborg, KS 67456										
B. C. Hudson			Χ							
Tank Characterization Panel Senior Technical Consultant Contech 7309 Indian School Road Albuquerque, NM 87110										
J. Arvisu			X							
U. S. Department of Energy - Head Office of Environmental Restorati 12800 Middlebrook Road Germantown MD 20874	dquarter on and	<u>'s</u> Waste Ma	nagement I	EM-563						

χ

χ

B5-36

Germantown, MD 20874

Jacobs Engineering Group

J. A. Poppitti

		IBUTIO	N SHEET	•	<del></del>			
To Distantian	From	m Data Assessment and			Page 2 of 4			
Distribution			pretation	na	Date 08/20/96			
Project Title/Work Order					EI	D <b>T N</b> o. N/A		
Tank Characterization Report for WHC-SD-WM-ER-488, Rev. 0-B	Single	-Shell <sup>-</sup>	Tank 241-B	-103,	E	CN No. ECN	-635336	
Name	-	MSIN	Text With All Attach.	Text Onl	ly	Attach./ Appendix Only	EDT/ECN Only	
SAIC 20300 Century Boulevard, Suite 20 Germantown, MD 20874	0-B							
H. Sutter			Χ					
555 Quince Orchard Rd., Suite 500 Gaithersburg. MD 20878								
P. Szerszen			Χ					
Los Alamos Laboratory CST-14 MS-J586 P. O. Box 1663 Los Alamos, NM 87545								
S. F. Agnew (4)			Χ					
Los Alamos Technical Associates								
T. T. Tran		B1-44	Χ					
Ogden Environmental 101 East Wellsian Way Richland, WA 99352								
R. J. Anema			Χ					
<u>CH2M Hill</u> P. O. Box 91500 Bellevue, WA 98009-2050								
M. McAfee			X					
Tank Advisory Panel 102 Windham Road Oak Ridge, TN 37830								

Χ

D. O. Campbell

	DISTR	IBUTIO	N SHEET		<u> </u>			
То	From					ge 3 of	4	
Distribution			sessment a pretation	nd ————	Da	te	08/2	20/96
Project Title/Work Order					ED	T No.	N/A	
Tank Characterization Report for WHC-SD-WM-ER-488, Rev. 0-B	Single	-Shell 1	Tank 241-B	-103.	EC	N No.	ECN	-635336
Name		MSIN	Text With All Attach.	Text Onl	ly	Attach Append Only	xit	EDT/ECN Only
ONSITE								
Boeing Computer Services of Richl	<u>and</u>							
B. G. Lauzon		R1-08	Χ					
Department of Energy - Richland O	peratio	<u>ns</u>					-	
J. F. Thompson W. S. Liou N. W. Willis		S7-54 S7-54 S7-54	X X X					
ICF-Kaiser Hanford Company								
R. L. Newell		S3-09	Χ					
Pacific Northwest Laboratory								
N. G. Colton TJ. R. Gormsen S. A. Hartley J. G. Hill G. J. Lumetta A. F. Noonan		K3-75 K7-28 K5-12 K7-94 P7-25 K9-81	X X X X					X
Westinghouse Hanford Company								
H. Babad D. A. Barnes G. R. Bloom J. M. Conner W. L. Cowley L. A. Diaz G. L. Dunford E. J. Eberlein D. B. Engelman J. S. Garfield J. D. Guberski D. L. Herting D. C. Hetzer G. Jansen G. D. Johnson T. J. Kelley N. W. Kirch	•	S7-14 R1-80 H5-61 R2-12 A3-37 T6-06 A2-34 R2-12 R1-49 H5-49 R1-51 T6-09 S6-31 H6-33 S7-15 S7-21 R2-11	X X X X X X X X					X X .

	ISTRIBUTIO	N SHEET					
То	From		) F	Page 4 of 4			
Distribution		sessment a pretation	nd [	<b>Date</b> 08/20/96			
Project Title/Work Order				EDT No. N/A			
Tank Characterization Report for WHC-SD-WM-ER-488, Rev. 0-B	Single-Shell	Tank 241-B	-103, E	ECN No. ECN	I-635336		
Name	MSIN	Text With All Attach.	Text Only	Attach./ Appendix Only	EDT/ECN Only		
Westinghouse Hanford Company conti	nued						
M. J. Kupfer J. E. Meacham W. C. Miller C. T. Narquis D. E. Place D. A. Reynolds L. M. Sasaki L. W. Shelton, Jr. B. C. Simpson G. L. Troyer L. R. Webb K. A. White TFIC (Tank Farm Information-Center		X X X X X X X					
Central Files	A3-88	χ̈́					

H6-08

R1-51

R2-12

EDMC

ERC (Environmental Resource Center)
OSTI (2)
TCRC (10)